

Dimock Daily Report

Bob Sussman, Mathy Stanislaus, Brendan Gilfillan, Lisa Feldt, Dana Tulis, Betsaida Alcantara,
Ron Borsellino to: Arvin Ganesan, Sarah Pallone, Janet Woodka, Larry Stanton, Gilberto Irizarry, Ron Borsellino,
William Early, Shawn Garvin, Amy Johansen, Daniel Ryan, Michael DAndrea, Janice Donlon

03/09/2012 03:50 PM

From: Ron Borsellino/R3/USEPA/US

To: Bob Sussman/DC/USEPA/US@EPA, Mathy Stanislaus/DC/USEPA/US@EPA, Brendan Gilfillan/DC/USEPA/US@EPA, Lisa Feldt/DC/USEPA/US@EPA, Dana Tulis/DC/USEPA/US@EPA, Betsaida Alcantara/DC/USEPA/US@EPA, Arvin Ganesan/DC/USEPA/US@EPA, Sarah Pallone/DC/USEPA/US@EPA, Janet Woodka/DC/USEPA/US@EPA, Larry Stanton/DC/USEPA/US@EPA, Gilberto Irizarry/DC/USEPA/US@EPA, Ron Borsellino <borsellino.ron@epa.gov>, William Early/R3/USEPA/US, Shawn Garvin/R3/USEPA/US@EPA, Amy Johansen/R3/USEPA/US@EPA, Daniel Ryan/R3/USEPA/US@EPA, Michael DAndrea/R3/USEPA/US@EPA, Janice Donlon/R3/USEPA/US@EPA

Dimock Daily Report
March 9, 2012

FIELD ACTIVITIES

Water Supply

- Alternate water continues to be provided as necessary.
- The one resident whose well water was found to have high arsenic and who was receiving water from Cabot has declined further alternate water from Cabot and from EPA.

Sampling

- No homes sampled today.
- Region continues to finalize data packages for distribution next week.
- There are currently four outstanding residences that we are still attempting to schedule. Of these four, one will not be back in the area before April. We are still trying to re-schedule sampling with the resident in the hospital.

Includes home sampled yesterday afternoon.

Dimock Executive Summary							3/8/2012
Sampling Categories	Surveys	Survey	Appointments		Splits with	Splits with	Sampling
	Received	followup	Appointments	to be			
		needed	Scheduled	scheduled	PADEP	Cabot	Done
CO&A List	20	1	20	1	6	5	18
Historical Sampling	44	2	44	3	37	37	42
Added on Criteria	1	0	1	0	1	1	1
Unaccounted	0	1	0	0	0	0	0
Subtotal	65	4	65	4	44	43	61
TOTALS	69		69				
*Unaccounted category includes homes that were sent certified letters due to disconnected phone - not counted in appointment to be scheduled. Also note that the discrepancy between Sampling Done and Appointments Scheduled is because some homes shared a well and only one home was sampled.							

COMMUNICATIONS

- Fact Sheet alerting residents that EPA will be contacting them over several weeks with water sample results is finalized and will be distributed on Monday.
- Draft Q&As provided to HQ for concurrent review with R3 internal review.
-

LEGAL ISSUES

- None reported today

Let me know if you have questions or need additional information

Ron

Ron Borsellino
Director
Hazardous Site Cleanup Division